

# ATEC 321 FAETA - all carbon

## Price list of complete aircraft and accessories

Valid as of 06/2008. Prices in EUR, VAT excluded, EX WORKS.

MTOM = 450 / 472,5 kg



Technische und preisliche Änderungen vorbehalten.

	Price €	EW kg
ATEC 321.80 FAETA	64450	286
ATEC 321.100 FAETA	66450	288

**ATEC Deutschland GmbH**  
 Flugplatz 1 D-47929 Grefrath  
 www.atec-brd.de E.mail: info@atec-brd.de  
 tel: +4915203563400 fax: +31847412256

### Comments

- Basic equipment
- Optional equipment
- Optional eq., extra charge
- Not equipped

ATEC 321 FAETA	.80	.100	Options	Weight kg
ROTAX 912 UL 80 HP four stroke engine	●	-		
ROTAX 912 ULS 100 HP four stroke engine	-	●		
Overload clutch	○	●	610	2
Stainless exhaust	●	●		
FITI 2 blade composite fix propeller	●	-	890	
FITI 3 blade composite fix propeller	-	●	1080	
FITI 3 blade composite propeller ground adjustable	○	○	1250	1
FITI 3 blade composite fix propeller in flight adjustable, mech. control	○	○	4080	4
FITI 3 blade composite propeller in flight adjustable, el. control	○	○	4310	4
Electric flap control	□	□	850	0,5
Electric elevator trim	□	□	560	0,5
Electric aileron trim	○	○	670	0,5
Battery 12V/14Ah	●	●		
Battery 12V/18Ah	□	□	32	2
CYCLON cell battery 12V/5Ah	□	□	53	-1
Hot air heating standard	○	○	425	1,5
Carburettor fore-heat system	○	○	440	1
Input air fore-heat system	○	○	1350	2,5
Tinted canopy	□	□	170	
Cockpit lock	○	○	53	
Fuel cap lock	○	○	32	
Main switch lock	○	○	67	0,1
Curtiss fuel drain plug	●	●		
Pitot tube heated	□	□	60	
Air speed indicator 80 mm km/h / knot	●	●	290	
Altimeter 80 mm m / feet	●	●	295	
Rate of climb indicator 80 mm m/s / feet/min	○	○	220	0,3
Bank indicator	●	●	90	
Compass panelmount	●	●	115	
Compass topmount	○	○	120	0,1
EMS TL 3724 combined engine monitoring system	○	○	1040	
RPM indicator combined with motorhours indicator	●	●	305	
Oil pressure indicator	●	●	60	
Cylindre head temperature indicator	●	●	90	
Oil temperature indicator	●	●	60	
Double exhaust temperature indicator	●	●	205	
Fuel pressure indicator	●	●	60	

<b>ATEC 321 FAETA</b>	<b>.80</b>	<b>.100</b>	<b>Options</b>	<b>Weight kg</b>
Fuel gauge	●	●	50	
EFIS DYNON D100	○	○	3480	
EMS DYNON 120	○	○	2930	
EFIS + EMS DYNON 180	○	○	4880	
DYNON remote compass	○	○	155	
DYNON OAT	○	○	90	
DYNON encoder convertor	○	○	130	
DYNON battery pack	○	○	175	
Fuel computer TL 2524 (or equivalent)	○	○	440	0,5
Fuel flow sensor	○	○	360	0,1
Artificial horizon RCA 26 AK-2 (or equivalent)	○	○	2400	1,3
Volt indicator analog	○	○	60	0,3
Turn indicator RCA 82 A-11	○	○	855	0,8
G-accelerometer TL 3424 digital	○	○	300	0,3
Intercom FLIGHTCOM 403mc VOX	○	○	240	0,4
Intercom TL 2424 VOX, digital voice recorder	○	○	470	0,4
Radio ICOM A200, intercom incl	○	○	1200	1,7
Radio BECKER AR 4201, intercom incl	○	○	2200	1,2
RADIO FILSER ATR 600	○	○	2040	1,2
Transponder GARMIN GTX 320 A	○	○	2080	1,2
Transponder BECKER ATC 4401	○	○	3080	1
Transponder FILSER TRT 800, S mode	○	○	3210	1
Encoder ACK A-30	○	○	310	0,8
Transponder attestation	○	○	190	
Antenna radio ULA-2	○	○	160	0,5
Antenna transponder AV 22	○	○	100	0,3
GPS MAP 296 colour display	○	○	1700	0,5
GPS MAP 496 colour display	○	○	2400	0,5
GPS AVMAP EKP 4	○	○	2400	0,8
GPS GARMIN installation dock	○	○	150	0,1
GPS AVMAP installation dock	○	○	200	0,1
Empty / blanked hole circular in the panel	○	○	20	
Empty / blanked hole rectangular in the panel	○	○	30	
Empty / blanked hole special in the panel	○	○	40	
Headphones FLIGHTCOM 5DX, 1 pc	○	○	240	0,8
Headphones FLIGHTCOM CLASSIC ANR, 1 pc	○	○	460	1
Headphones PILOT PA 11 - 90, 1 pc	○	○	260	0,8
Headphones PILOT PA 50 - ANR, 1 pc	○	○	580	1
Headphones PELTOR 8006, 1 pc	○	○	330	1
12 V socket in dashboard frame	○	○	35	
Fuselage strobe light 2007 S, 10 Ws, teflon shielded cable	○	○	245	1
Wing tip strobe lights 2007 T, 2 x 10 Ws, teflon shielded cable	○	○	490	1,3
Strobe lights 2007 TS, 3 x 10 Ws, teflon shielded cable	○	○	560	1,8
Fuselage strobe light 2040 S, 25 Ws, teflon shielded cable	○	○	370	2
Wing tip strobe lights 2040 T, 2 x 25 Ws, teflon shielded cable	○	○	660	2,3
Strobe lights 2040 TS, 3 x 25 Ws, teflon shielded cable	○	○	720	2,8
Wing tip position lights forward	○	○	200	0,8
Wing tip combined lights: position fwd, pos. rear, strobe 2x10 Ws	○	○	830	2,8
Wing tip combined lights: position fwd, pos. rear, strobe 3x10 Ws	○	○	890	3,3
Wing tip combined lights: position fwd, pos. rear, strobe 2x25 Ws	○	○	1000	3,6
Wing tip combined lights: position fwd, pos. rear, strobe 3x25 Ws	○	○	1190	4
Front halogen light 50 W	○	○	85	0,3
Front 4LED light 8W/112 W	○	○	155	
Cockpit red light	○	○	90	0,3
Brake grip both sides	□	□	202	0,8

<b>ATEC 321 FAETA</b>	<b>.80</b>	<b>.100</b>	<b>Options</b>	<b>Weight kg</b>
Foot steps 2 pcs	<input type="radio"/>	<input type="radio"/>	90	0,8
Pedals adjustable	<input type="checkbox"/>	<input type="checkbox"/>	90	0,9
USH 52 S high speed rescue system $v_{MAX} = 293$ km/h	<input type="radio"/>	<input type="radio"/>	4300	18
Rescue system pre-installation	<input type="radio"/>	<input type="radio"/>	430	2
Safety belts four-point standard	<input checked="" type="radio"/>	<input checked="" type="radio"/>		
Safety belts four-point, fast adjustment and release, high comfort	<input type="checkbox"/>	<input type="checkbox"/>	280	
Sailplane tow release TOST E85	-	<input type="radio"/>	750	2
Side net cabin pockets 2 pcs	<input type="radio"/>	<input type="radio"/>	110	0,4
Locker built in the panel or in the pilot bulkhead	<input type="radio"/>	<input type="radio"/>	100	0,4
Headset rack	<input type="radio"/>	<input type="radio"/>	74	0,2
CAMLOCK engine cowlings fasteners up only	<input type="checkbox"/>	<input type="checkbox"/>	120	
Colour paint white of fuselage wings and HT, other parts gelcoat	<input checked="" type="radio"/>	<input checked="" type="radio"/>		
Colour sticker design with installation "LINE" model	<input type="radio"/>	<input type="radio"/>	500	0,6
Colour sticker design with installation "STAR" model	<input type="radio"/>	<input type="radio"/>	540	0,6
Colour sticker design with installation "RAINBOW" model	<input type="radio"/>	<input type="radio"/>	670	0,6
Colour sticker design with installation "EYE WATER" model	<input type="radio"/>	<input type="radio"/>	670	0,6
Colour sticker design with installation "LIGHTNING" model	<input type="radio"/>	<input type="radio"/>	700	0,6
Colour foil design with installation "SPEEDY" model	<input type="radio"/>	<input type="radio"/>	740	0,6
Colour foil design with installation "RIBBON" model	<input type="radio"/>	<input type="radio"/>	840	0,6
Register label foil - 2x fuselage, 1x wing	<input type="radio"/>	<input type="radio"/>	120	0,1
Inscriptions, 2x flag, 2x footsteps, parachute	<input type="radio"/>	<input type="radio"/>	80	
Colour paint finish - fuselage bottom, wing+HT tips	<input type="radio"/>	<input type="radio"/>	830	2
Engine cowlings paint	<input type="radio"/>	<input type="radio"/>	240	0,5
Wheel fairings white paint	<input type="radio"/>	<input type="radio"/>	170	0,4
Rudder paint	<input type="radio"/>	<input type="radio"/>	70	0,3
Metallic paint	<input type="checkbox"/>	<input type="checkbox"/>	410	1,5
Canopy textile protection	<input type="radio"/>	<input type="radio"/>	65	
Wings textile protection	<input type="radio"/>	<input type="radio"/>	210	
Horizontal tail textile protection	<input type="radio"/>	<input type="radio"/>	65	
FAETA decorative table model 1:32			150	